



Odour Management Plan for Alberta Livestock Producers

Odour management plans help producers identify where possible odour sources exist on their operation and provide solutions to manage odour from those sources.

Published by

Alberta Agriculture and Forestry
Environmental Stewardship Division
#306, 7000-113 Street
Edmonton, Alberta T6H 5T6

Copyright ©2011. Her Majesty the Queen in Right of Alberta
(Alberta Agriculture and Forestry). All rights reserved.

Acknowledgements

Alberta Agriculture and Forestry
Alberta Beef Producers
Intensive Livestock Working Group
Natural Resources Conservation Board

The committee who prepared this manual gratefully
acknowledges:

The MidWest Plan Service (MWPS), Iowa State University,
Ames Iowa 50011-3080. Information has been adapted and
reprinted with permission from their Livestock and Poultry
Environmental Stewardship curriculum. Copyright © 2001

Disclaimer

All information (including descriptions of or references
to products, persons, websites, services or publications)
is provided entirely “as is,” and the authors make no
representations, warranties or conditions, either expressed or
implied, in connection with the use of or reliance upon this
information. This information is provided to the recipient
entirely at the risk of the recipient, and because the recipient
assumes full responsibility, the authors shall not be liable
for any claims, damages or losses of any kind based on any
theory of liability arising from the use of or reliance upon this
information (including omissions, inaccuracies, typographical
errors and infringement of third-party rights).

Table of Contents

Introduction	1
Assessing Your Operation	2
Example of How to Complete.....	4
Neighbour & Community Relations	5
Manure Management	7
Indoor Facilities	7
Outdoor Facilities	7
Feed Storage	9
Manure Application	9
Complaint Log.....	10
Other Odour Potential Strategies Used on Your Farm	11
Resources	12

Introduction

Factors affecting the release of odour

The level of odour emissions from confined feeding operations depends on a number of factors, including the following:

- size of operation
- type of building and ventilation system
- type of operation and the rearing cycle
- feeding regime
- management of the operation
- manure storage
- manure application practices

The effect of those emissions on the local environment depends on certain variables:

- proximity to neighbours and other sensitive receptors
- local topography
- prevalent weather conditions such as wind speed, wind direction and atmospheric stability

Odour management plan

Odour management plans help producers identify where possible odour sources exist on their operation and provide solutions to manage odour from those sources.

Steps to building an odour management plan:

1. Assessing Your Operation
 - Provide a general description of your operation.
 - Identify neighbouring residents to the operation.
 - Identify land receiving manure.
 - Consider potential concerns neighbours may have because of proximity, nature of the landscape or primary wind direction.

2. Assessing Potential Odour Sources
 - This step is divided into four main management areas: Neighbour and Community Relations, Manure Management, Feed Storage, and Manure Application.
 - The most common odour sources associated within each management area are identified.
 - Odour sources may or may not exist on your operation.
 - By picking practices applicable to your operation, you can assess the potential for your operation to produce odour concerns
 - The objective is to move from a high potential to a low potential.
3. Responses to Odour Concerns
 - Identify what actions could be taken with each of the applicable potential odour sources identified in Step 2.
 - Identify timelines when action items may be implemented.
4. Review and Completion Dates
 - Review odour management plan on a regular basis.
 - Fill in the date when actions were completed.

Contact

If you need assistance, you may want to consult with an Alberta Agriculture and Forestry (AF) Confined Feeding Operation (CFO) Extension Specialist or an industry representative.

Alberta Agriculture and Forestry staff CFO Extension

Specialists	
Morinville	780.939.1218
Red Deer	403.755.1475
Lethbridge	403.381.5885

Industry

Alberta Beef Producers www.albertabeef.org	403.275.4400
Alberta Cattle Feeders' Association www.cattlefeeders.ca	1.800.363.8598
Alberta Chicken Producers www.chicken.ab.ca	780.488.2125
Alberta Egg Producers www.eggs.ab.ca	1.877.302.2344
Alberta Hatching Egg Producers www.albertahatchingeggs.ca	780.434.8414
Alberta Milk www.albertamilk.com	1.877.361.1231
Alberta Pork www.albertapork.com	780.474.8288
Alberta Turkey Producers www.albertaturkey.com	780.465.5755

Assessing Your Operation

Name: _____

Date: _____

Step 1: Assessing Your Operation

Livestock Type Present on Your Operation	Number (per cycle)	Manure Type (solid, semi-solid, or liquid/slurry)
Beef Cattle		
Dairy Cattle		
Swine		
Poultry		
Other		

Estimated number of acres or hectares manure is applied to annually
 _____ acres or _____ hectares

Prevailing wind direction at the facility (primary wind direction):

Neighbours of Facility - consider neighbours within a 1 mile (1.6 km) radius (check the appropriate boxes)						
Neighbour	Distance between facility and direction to the neighbour	Topography between the facility and the neighbour			Based on the direction of the prevailing wind, is the neighbour located upwind or downwind of your farm?	
		Low Odour Potential A shelterbelt, woods or hill	Moderate Odour Potential Open, flat terrain	High Odour Potential Neighbours are located at lower elevation or in valley below facility OR Lake and no trees between facility and neighbours	Low Odour Potential Upwind	High Odour Potential Downwind
Example Smiths	1 mile east		✓			✓

Neighbours of Manure Application Sites - consider neighbours within a 2 mile (3.2 km) radius (check the appropriate boxes)							
Field receiving manure (use legal land location OR name OR field #)	Neighbour	Distance between neighbour and direction to the manure application site	Topography between the manure application site and the neighbour			Based on the direction of the prevailing wind, is the neighbour located upwind or downwind from the land receiving manure?	
			Low Odour Potential A shelterbelt, woods or hill	Moderate Odour Potential Open, flat terrain	High Odour Potential Neighbours are located at lower elevation or in valley below application site OR Lake and no trees between neighbour and application site	Low Odour Potential Upwind	High Odour Potential Downwind
Dad's quarter	Jones	1 mile south		✓			✓
Bob's quarter	Bishops	1.5 miles N			✓	✓	

Example of How to Complete

STEP 2 Assessing Potential Odour Sources For each issue listed in the left column, read across to the right and check the statement that best describes conditions on your farm. If any issue does not apply, then under Step 3, mark them not applicable (N/A). The objective is to move from the high potential to the low potential.				STEP 3 Possible Responses to Odour Concerns • Identify what actions could be taken with each of the applicable potential odour sources identified in Step 2. • Identify timelines when action items may be implemented.		STEP 4 Review and Completion Dates • Review odour management plan on a regular basis. • Fill in the date when actions were completed.
Issue	Low Odour Potential	Moderate Odour Potential	High Odour Potential	Actions Taken to Minimize Odour or N/A	Timeline	Date Completed
Loading point of liquid storages	<input type="checkbox"/> Storage facility is always loaded below liquid manure surface	<input type="checkbox"/> Storage facility is usually loaded below liquid manure surface	<input checked="" type="checkbox"/> Storage facility is loaded above liquid manure surface.	Move loading point of liquid storage.	<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input checked="" type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Silage	<input type="checkbox"/> A plan is in place to manage silage seepage and spoiled silage		<input type="checkbox"/> No plan is in place to deal with silage seepage and spoiled silage.	N/A	<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	

Neighbour/Community Relations

Producer knowledge of and response to neighbour concerns						
Concerns	Low Concern Potential	Medium Concern Potential	High Concern Potential	Actions Taken to Minimize Odour or N/A	Timeline	Date Completed
Do neighbours express odour-related concerns?	<input type="checkbox"/> Never	<input type="checkbox"/> Occasional odour-related concerns over the past one to three years.	<input type="checkbox"/> Several odour-related concerns over the past year.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Have you asked your neighbours about their odour-related concerns?	<input type="checkbox"/> All neighbours have been asked about their odour-related concerns.	<input type="checkbox"/> Some neighbours have been asked about their odour-related concerns.	<input type="checkbox"/> No neighbours have been asked about their odour-related concerns.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Do neighbours know who to contact (name and phone number) if they have an odour-related concern?	<input type="checkbox"/> All neighbours have a contact name and phone number for my farm.	<input type="checkbox"/> Some neighbours have a contact name and phone number for my farm.	<input type="checkbox"/> No neighbours have a contact name and phone number for my farm.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
How are odour-related concerns addressed?	<input type="checkbox"/> Odour-related concerns are taken seriously and acted upon quickly, and action is shared with neighbours.	<input type="checkbox"/> Odour-related concerns are taken seriously but may not be acted upon quickly.	<input type="checkbox"/> Odour-related concerns are not addressed.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Do you regularly communicate with neighbours when there is a potential odour increase due to operations?	<input type="checkbox"/> Always	<input type="checkbox"/> Occasionally	<input type="checkbox"/> Never		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Do you participate in community awareness events?	<input type="checkbox"/> Frequently	<input type="checkbox"/> Occasionally	<input type="checkbox"/> Never		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Is the farm owner or farm manager active in the community? (e.g., school, service groups, 4-H)	<input type="checkbox"/> Farm owner/manager is active in community.	<input type="checkbox"/> Farm owner/operator has limited involvement in community.	<input type="checkbox"/> Farm owner/manager is not active in the community. OR farm owner/manager does not reside in the same community as the farm.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Stockpiling	<input type="checkbox"/> Manure is stockpiled in well-drained, remote locations away from neighbours.	<input type="checkbox"/> Manure is stockpiled in well-drained areas near public roads or near neighbours.	<input type="checkbox"/> Manure is stockpiled in poorly drained areas near public roads or near neighbours.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	

Neighbour/Community Relations Continued

Producer knowledge of and response to neighbour concerns						
Concerns	Low Concern Potential	Medium Concern Potential	High Concern Potential	Actions Taken to Minimize Odour or N/A	Timeline	Date Completed
Manure application sites.	<input type="checkbox"/> All manure application sites are in remote locations away from neighbours.	<input type="checkbox"/> Some manure application sites are in close proximity to neighbours.	<input type="checkbox"/> All manure application sites are in close proximity to neighbours.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Timing of manure application – weekends/holidays.	<input type="checkbox"/> Manure application on weekends and holidays is always avoided.	<input type="checkbox"/> Manure application on weekends and holidays is often avoided.	<input type="checkbox"/> Manure application can occur on any day. Manure application on weekends and holidays is not avoided.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Neighbours are informed of application timing and fields.	<input type="checkbox"/> Always	<input type="checkbox"/> Sometimes	<input type="checkbox"/> Never		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Manure is spilled while emptying storage facility.	<input type="checkbox"/> Manure does not accumulate around the storage facility.	<input type="checkbox"/> Sometimes manure accumulates around the storage facility.	<input type="checkbox"/> Manure accumulates around the storage facility.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Manure is spilled on roadways during transportation.	<input type="checkbox"/> Manure spilled from application equipment on public roadways is removed as soon as possible.	<input type="checkbox"/> Manure spilled from application equipment on public roadways is removed sometimes.	<input type="checkbox"/> Manure spilled from application equipment on public roadways is rarely or never removed.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	

Manure Management

Indoor Facilities

Potential Source	Low Odour Potential	Medium Odour Potential	High Odour Potential	Actions Taken to Minimize Odour or N/A	Timeline	Date Completed
How is manure managed within the confinement area? (In- barn pits are considered storage facilities)	<input type="checkbox"/> Manure collects in barn for less than one week before it is moved to a storage facility.	<input type="checkbox"/> Manure collects in barn for one to two weeks before it is moved to a storage facility.	<input type="checkbox"/> Manure collects in barn for more than two weeks before it is moved to a storage facility.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Mechanical ventilation.	<input type="checkbox"/> System is monitored regularly to ensure proper air flow and system automatically responds to changes in weather.	<input type="checkbox"/> System is monitored occasionally and manually responds to changes in weather.	<input type="checkbox"/> System is seldom monitored and does not respond to changes in weather.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Dust minimization in confined facilities?	<input type="checkbox"/> Two or more of the following are implemented: <ul style="list-style-type: none"> • clean interior building surfaces regularly • reduce dust from feed • drop tubes on all augers 	<input type="checkbox"/> Housing facilities use some “low-odour potential” dust control.	<input type="checkbox"/> No efforts have been made to control dust.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	

Outdoor Facilities

Potential Source	Low Odour Potential	Medium Odour Potential	High Odour Potential	Actions Taken to Minimize Odour or N/A	Timeline	Date Completed
Pen drainage after a storm event (rain or snow).	<input type="checkbox"/> Pen surfaces drain quickly.	<input type="checkbox"/> Pen surfaces are prone to temporary flooding.	<input type="checkbox"/> Pen surfaces are part of the runoff storage.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Frequency of cleaning pens.	<input type="checkbox"/> Pen cleaning two to three times a year.	<input type="checkbox"/> Pen cleanings occur after each feeding cycle.	<input type="checkbox"/> Pen cleaning occurs once per year or less frequently.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Water leakage.	<input type="checkbox"/> Regular inspections are made for overflow waterers and system leaks, AND problems are quickly corrected.	<input type="checkbox"/> Inspections for overflow waterers and system leaks are infrequent.	<input type="checkbox"/> Overflow waterers and system leaks are not a priority.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	

Outdoor Facilities Continued

Potential Source	Low Odour Potential	Medium Odour Potential	High Odour Potential	Actions Taken to Minimize Odour or N/A	Timeline	Date Completed
Emptying runoff catch basin.	<input type="checkbox"/> Low pressure flood.	<input type="checkbox"/> High pressure irrigation.	<input type="checkbox"/> Management practice either starts on the weekend or is carried out in close proximity to neighbours.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Dust minimization.	<input type="checkbox"/> Groom pens regularly.	<input type="checkbox"/> Sprinkle pens.	<input type="checkbox"/> No preventative action taken.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Composting	<input type="checkbox"/> Neighbours are more than 2 miles downwind from composting site, OR composting occurs in enclosed, controlled facility.	<input type="checkbox"/> Actively turning manure with an adequate (25:1 – 30:1) carbon:nitrogen and moisture content.	<input type="checkbox"/> Actively turning manure with a low carbon:nitrogen and high moisture content OR composting process is not properly managed.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Loading point of liquid storages.	<input type="checkbox"/> Storage facility is always loaded below liquid manure surface.	<input type="checkbox"/> Storage facility is usually loaded below liquid manure surface.	<input type="checkbox"/> Storage facility is loaded above liquid manure surface.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Manure storage cover.	<input type="checkbox"/> Undisturbed crust forms over the entire surface OR manure is held in enclosed tank OR manure is covered with crop residue, plastic membrane or other type of cover.	<input type="checkbox"/> Crust forms over only part of manure surface. OR manure surface is partially covered by crop residue, plastic membrane or other type of cover.	<input type="checkbox"/> Natural crust does not form.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Manure is agitated below the surface.	<input type="checkbox"/> Yes		<input type="checkbox"/> No		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	

Feed Storage

Potential Source	Low Odour Potential	Medium Odour Potential	High Odour Potential	Actions Taken to Minimize Odour or N/A	Timeline	Date Completed
Feed mill or feed storage area.	<input type="checkbox"/> Feed mill/storage area is cleaned on a regular basis, and equipment is maintained to prevent spills.	<input type="checkbox"/> Feed mill/storage area is cleaned occasionally, and equipment is maintained to prevent spills.	<input type="checkbox"/> Feed mill/storage area is rarely cleaned and equipment is fixed as required.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Silage	<input type="checkbox"/> A plan is in place to manage silage seepage and spoiled silage.		<input type="checkbox"/> No plan is in place to deal with silage seepage and spoiled silage.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	

Manure Application

Potential Source	Low Odour Potential	Medium Odour Potential	High Odour Potential	Actions Taken to Minimize Odour or N/A	Timeline	Date Completed
Liquid manure application.	<input type="checkbox"/> Subsurface injection of liquid manure OR surface application with drop hose applicator plus same day incorporation.	<input type="checkbox"/> Broadcast application of liquid manure followed by same day incorporation OR surface application with drop hose applicator followed by incorporation within 48 hours.	<input type="checkbox"/> Surface application of liquid manure without incorporation.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Solid manure application.	<input type="checkbox"/> Surface applied followed by same day incorporation.	<input type="checkbox"/> Surface applied and incorporated within 48 hours.	<input type="checkbox"/> Surface applied without incorporation.		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Time of day.	<input type="checkbox"/> Manure is always applied during daylight hours.	<input type="checkbox"/> Manure is often applied during daylight hours.	<input type="checkbox"/> Time of day is not considered when manure is applied. Manure application in the evening is common (high chance of inversion that prevents dilution).		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	
Wind direction is considered.	<input type="checkbox"/> Always	<input type="checkbox"/> Sometimes	<input type="checkbox"/> Never		<input type="checkbox"/> 3-6 months <input type="checkbox"/> Within 2 years <input type="checkbox"/> 2-5 years <input type="checkbox"/> _____	

Complaint Log

As you receive complaints, whether they are from an official source such as the Natural Resources Conservation Board (NRCB) or from conversation with neighbours, record the event.

Date	Who Complained	Complaint	Possible Source(s) of Odour Causing the Complaint	Action Taken
June 15	Jones, Smiths (neighbours)	High odour/smells	Manure storage - wind	Maintain continuous cover over entire manure surface by adding straw to crust especially where manure surface is exposed.

Resources

Alberta Resources:

1. Beneficial Management Practices: Environmental Manual for Livestock Producers in Alberta (Pages 22, 26, 27, 72, 84)
www.agriculture.alberta.ca/manure
3. Nutrient Management Planning Guide
www.agriculture.alberta.ca/manure
4. Manure Composting Manual (Pages 11 and 18)
www.agriculture.alberta.ca/manure
5. Good Practices Guide for Odour Management in Alberta from Prevention and Mitigation to Assessment and Complaints
http://casahome.org/Portals/0/DMX/OMT%20GPG/CASA_GPG_webversion_V3.pdf?timestamp=1444833907813

Other

- National Air Quality Site Assessment Tool
www.naqsat.tamu.edu/
- Practice to Reduce Odors from Livestock Operation Factsheet: Iowa State University
www.extension.iastate.edu/Publications/pm1970a.pdf
- Overview of Odor Control for Manure Storage Facilities: Factsheet AEX-738-08. Ohio State University
www.ohioline.osu.edu/aex-fact/pdf/0738.pdf
- Air Management Practices Assessment Tool
<http://www.agronext.iastate.edu/ampat/homepage.html>

People Resources

Alberta Agriculture and Forestry CFO Extension Specialists

Morinville	780.939.1218
Red Deer	403.755.1475
Lethbridge	403.381.5885

NRCB Offices

Lethbridge	403.381.5166
Red Deer	403.340.5241
Morinville	780.939.1212
Fairview	780.835.7111

