

Cultivar Screening Trial
Seeding Year: 1983

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating	Herbage Yield Rating
Clover, Red (<u>Trifolium pratense</u> L.)						
	Alpilles	France	1.7		1.0	1.3
	Altaswede*	Canada	5.0		5.0	5.0
	Bjorn	Sweden	5.0		5.0	5.0
	Cremonese	Italy	1.0		1.0	0.7
	Dell'Italia Centrale	Italy	0		0	0
	Fertodi M	Hungary	3.7		3.3	4.3
	Grasslands Turoa	New Zealand	2.0		1.0	1.7
	Kenland	United States	4.0		4.0	3.7
	Noe	France	2.3		1.3	2.3
	Norlac	Canada	5.0		5.0	5.0
	Piemontese	Italy	1.0		1.0	1.0
	Pradi	Norway	5.0		5.0	5.0
	Rajana 4n	Denmark	4.3		4.0	4.0
	Triel	France	2.3		2.0	2.3
	Trifomo 4n	Netherlands	4.3		4.0	4.0
	Vesta Daehnfeldt	Denmark	5.0		5.0	4.7
	* Altaswede (Yield in kg/ha)				117	
Clover, White (<u>Trifolium repens</u> L.)						
	Aran	Ireland	4.0	20	1.7	1.7
	Donna	United Kingdom	4.0	17	3.0	1.0
	Gandalf	Denmark	4.7	32	4.3	3.0
	Karina	West Germany	4.7	25	5.0	2.7
	Lirepa	West Germany	5.0	30	5.0	2.7
	Menna	United Kingdom	4.3	20	4.3	1.7
	Nesta	United Kingdom	5.0	27	4.0	2.3
	Nora*	Sweden	4.7	25	4.7	2.7
	* Nora (Yield in kg/ha)				315	

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating	Herbage Yield Rating
Bromegrass, Smooth (<u>Bromus inermis</u> Leyss.)						
	Bellegarde (1)	France	0	0	0	0
	Carlton*	Canada	5.0	110	5.0	5.0
	Lubro (2)	France	4.0	75	2.3	2.0
	Szarvasi 52	Hungary	5.0	107	3.7	4.3
	* Carlton (Yield in kg/ha)				1057	
	(1) Rescue or Prairie Grass (<u>Bromus willdenowii</u> Kunth; <u>B. catharticus</u>)					
	(2) <u>Bromus sitchensis</u> Bong					
Fescue, Hard (<u>Festuca duruiscula</u> auct.)						
	Biljart*	Netherlands	5.0	43	2.0	1.0
	Crystal	Netherlands	5.0	50	1.3	1.0
	Hartina	Netherlands	5.0	47	1.7	1.0
	Scaldis	Netherlands	5.0	52	1.7	1.0
	Tournament	Netherlands	5.0	45	1.7	1.0
	Trol	Netherlands	5.0	47	1.3	1.0
	Valda	Netherlands	5.0	43	1.0	1.0
	Waldina	Netherlands	5.0	48	1.3	1.0
	* Biljart (Yield in kg/ha)				177	
Fescue, Meadow (<u>Festuca pratensis</u> Huds.; <u>F. elatior</u> auct.)						
	Barverte	Netherlands	5.0	103	4.0	4.0
	Beaumont	United States	5.0	102	5.0	4.0
	Djebebina	Tunisia	0	0	0	0
	Else	Denmark	5.0	102	5.0	5.0
	Maldo	Denmark	5.0	103	5.0	5.0
	Mimer*	Sweden	5.0	103	4.7	4.7
	NFG	West Germany	5.0	95	5.0	4.3
	Otava	Czechoslovakia	5.0	107	5.0	4.7
	Predix	Switzerland	5.0	98	5.0	4.7

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating	Herbage Yield Rating
Fescue, Meadow (<i>Festuca pratensis</i> Huds.; <i>F. elatior</i> auct.) cont'd						
	Prefest	Switzerland	5.0	98	5.0	4.0
	Remko	Netherlands	5.0	97	4.7	4.0
	Salfat	Denmark	5.0	103	4.7	5.0
	Szarvasi 54	Hungary	5.0	100	4.7	5.0
	920	Canada	5.0	102	5.0	5.0
	930	Canada	5.0	107	4.7	4.7
	* Mimer (Yield in kg/ha)				1007	
Fescue, Red (<i>Festuca rubra</i> L.)						
	Accent	(3) Netherlands	5.0	80	5.0	5.0
	Artist	(2) Netherlands	5.0	65	3.7	3.7
	Bar Frc 77-1	(1) Netherlands	5.0	85	4.7	5.0
	Bellamy	(1) Netherlands	5.0	75	4.3	4.7
	Boreal*	(3) Canada	5.0	82	5.0	5.0
	Center	(1) Netherlands	5.0	70	3.3	3.7
	Ceres	(1) Netherlands	5.0	73	3.3	4.0
	Claret	(1) Netherlands	5.0	73	3.3	3.7
	Contour	(1) Netherlands	5.0	73	4.3	5.0
	Countess	(1) Ireland	5.0	67	4.0	4.0
	Feru 0301	(3) Iceland	5.0	53	2.3	2.3
	Feru 0313	(3) Iceland	5.0	60	3.0	2.7
	FR HJA 37/13	(3) Finland	5.0	63	4.0	3.3
	Logro FRT	(4) Ireland	5.0	50	3.0	2.7
	Lovisa	(2) Sweden	5.0	62	4.3	4.0
	Mars	(1) Netherlands	5.0	80	3.7	4.3
	Mary	(1) Netherlands	5.0	77	4.7	4.7
	Milan	(1) West Germany	5.0	67	2.7	3.0
	Osiris	(1) Netherlands	5.0	63	4.3	3.7
	Pharus	(1) Netherlands	5.0	68	2.3	2.7
	Rodeo	(1) Netherlands	5.0	68	3.0	4.0
	Wilma	(1) Sweden	5.0	70	4.3	4.3

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating	Herbage Yield Rating
Fescue, Red (<u>Festuca rubra</u> L.) cont'd						
	WRS 116	(3) Sweden	5.0	75	4.0	4.7
	WRS 121	(3) Sweden	5.0	73	4.0	4.7
	* Boreal (Yield in kg/ha)				1292	
	(1) Rhizomes absent or rudimentary					
	(2) Slender rhizomes					
	(3) Strong rhizomes					
	(4) Unclassified					
Fescue, Sheep's (<u>Festuca ovina</u> L. <u>sensu lato</u>)						
	Fertalia*	Belgium	5.0	40	2.7	1.7
	HM 102	Norway	5.0	37	2.3	1.0
	Livina	West Germany	5.0	45	4.3	1.7
	Liwally	West Germany	5.0	40	3.7	1.7
	Ridu	Denmark	5.0	53	3.0	1.0
	Rosette	United Kingdom	5.0	35	2.3	1.3
	Triana	Denmark	5.0	57	3.3	1.0
	Urial	France	5.0	30	1.3	1.0
	*Fertalia (Yield in kg/ha)				110	
Fescue, Tall (<u>Festuca arundinacea</u> Schreb.)						
	Barcel	Netherlands	5.0	95	3.7	3.3
	Conway	United Kingdom	5.0	93	2.7	4.7
	Dovey	United Kingdom	5.0	92	2.7	3.3
	Grasslands Roa	New Zealand	5.0	90	2.0	3.3
	Kenhy	United States	5.0	98	4.0	4.7
	Kentucky 31*	United States	5.0	97	4.3	5.0
	Lubrette	France	5.0	97	2.7	3.7

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating	Herbage Yield Rating
Fescue, Tall (<i>Festuca arundinacea</i> Schreb.) cont'd						
	Monaco	Netherlands	5.0	95	3.0	4.0
	Nutex	West Germany	5.0	103	4.3	4.0
	Olympic	United States	5.0	90	3.0	3.0
	Ondine	France	5.0	95	3.0	4.3
	Pastelle	France	5.0	95	3.7	3.7
	Penna	Italy	5.0	92	3.0	4.7
	Raba	France	5.0	85	2.0	3.0
	Rebel	United States	5.0	87	3.0	2.7
	Sopline	France	5.0	98	3.3	3.7
	1039	Canada	5.0	103	5.0	4.7
	*Kentucky 31 (Yield in kg/ha)				974	
Orchardgrass (<i>Dactylis glomerata</i> L.)						
	Amba	Denmark	4.3	93	1.3	3.7
	Angelkamp	West Germany	5.0	103	3.0	5.0
	Apelsvoll	Norway	5.0	110	4.0	5.0
	Barbridge	Netherlands	5.0	83	1.3	3.3
	Bartyle	Netherlands	4.7	88	2.0	4.0
	BC 6611	Canada	5.0	108	4.7	5.0
	B-15	Yugoslavia	3.0	72	0.7	2.3
	Dactus	Sweden	4.3	100	1.0	3.3
	Grassland Kara	New Zealand	2.0	45	0	1.7
	Grassland Wana	New Zealand	0	0	0	0
	Haka	Finland	5.0	105	3.0	5.0
	Hattfjellidal	Norway	5.0	108	5.0	5.0
	Hera Daehnfelddt	Denmark	5.0	97	1.3	4.0
	Karkloof	South Africa	2.3	68	0.7	1.7
	Kay*	Canada	5.0	102	2.7	5.0
	Lara	Switzerland	4.7	72	0.7	3.0
	LD 3015	Denmark	4.0	80	1.0	3.0
	Lemba R.v.P.	Belgium	4.7	80	1.0	3.0
	Lude	France	3.0	43	0.3	2.3

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating	Herbage Yield Rating
Orchardgrass (<u>Dactylis glomerata</u> L.) cont'd						
	Lully	France	4.0	58	0.3	2.3
	Lutetia	France	3.7	68	0.7	2.3
	Milona	Czechoslovakia	4.3	83	1.0	3.0
	Ornehoj	Denmark	4.7	93	1.0	3.7
	Phyllox Daehnfeldd	Denmark	3.3	78	1.0	3.3
	Potomac	United States	5.0	95	1.0	4.0
	Predac	Switzerland	4.3	73	0.7	3.3
	Reda	Switzerland	5.0	88	1.0	4.0
	Sylvan	United Kingdom	3.3	85	1.0	3.0
	Szarvasi 51	Hungary	5.0	87	1.0	4.0
	Tareda	Switzerland	4.7	85	1.0	3.0
	Valido	Netherlands	3.7	62	0.7	2.3
	* Kay (Yield in kg/ha)				175	
Reed Canarygrass (<u>Phalaris arundinacea</u> L.)						
	Castor*	Canada	5.0	128	2.0	4.0
	Szarvasi 50	Hungary	5.0	118	1.0	4.0
	* Castor (Yield in kg/ha)				44	
Timothy (<u>Phleum pratense</u> L.)						
	Barliza	Netherlands	5.0	95	5.0	5.0
	Bero Daehnfeldd	Denmark	5.0	102	5.0	4.7
	Climax*	Canada	5.0	103	5.0	5.0
	Engmo	Norway	5.0	100	5.0	4.7
	Liam (1)	United Kingdom	5.0	55	5.0	1.0
	Php 9	Netherlands	5.0	97	5.0	5.0
	Saga	Sweden	5.0	102	5.0	5.0

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating	Herbage Yield Rating
Timothy (<u>Phleum pratense</u> L.) cont'd						
	SKI 49	West Germany	5.0	93	5.0	3.7
	Tiller	Netherlands	5.0	93	5.0	4.7
	Tirom	Rumania	5.0	103	5.0	5.0
	* Climax (Yield in kg/ha)				606	
	(1) Turf Timothy (<u>Phleum bertolonii</u> DC)					
Wheatgrass, Intermediate (<u>Agropyron intermedium</u> (Host) Beauv. ex Baumq.)						
	Chief*	Canada	5.0	127	5.0	3.7
	Clarke	Canada	5.0	118	5.0	4.0
	Oake	United States	5.0	135	5.0	4.7
	Sisagro	Italy	5.0	125	5.0	4.3
	* Chief (Yield in kg/ha)				535	
Wildrye, Russian (<u>Elymus junceus</u> Fisch.)						
	Cabree	Canada	5.0	30	0	1.0
	Sawki*	Canada	5.0	30	0	1.0
	* Sawki (Yield in kg/ha)				0	

C

SUMMARY OF FORAGE SEED YIELDS IN NORTHERN ALBERTA

Species Cultivar	Origin	B'lodge A	B'lodge B	Falher	Fort Vermilion	Gimle	High Level	All Locations
Bromegrass, Smooth (<u>Bromus inermis</u> Leyss.) Yields shown as % of Carlton								
Baylor	United States	68(3)*	55(3)	73(3)	72(3)		56(3)	65(15)
Beacon	United States	65(5)			45(2)	62(2)		60(9)
Blair	United States	42(3)	41(3)	43(3)	52(3)		40(3)	44(15)
Carlton	Canada	100(8)	100(6)	100(6)	100(8)	100(2)	100(3)	100(33)
Jubilee	Canada	60(5)	55(3)	52(3)	51(5)	64(2)	51(3)	55(21)
Lyon	United States	46(3)	70(3)	68(3)	52(3)			59(12)
Magna	Canada	86(3)	92(6)	99(6)	108(6)		96(3)	98(24)
Orfeu	Rumania	81(6)	91(3)	94(3)	79(3)		107(3)	89(18)
Regar(1)	United States	47(3)	50(6)	45(6)	38(6)		38(3)	44(24)
Signal	Canada	124(8)	118(3)	105(3)	123(5)	157(2)	117(3)	123(24)
Svaja	Sweden	81(5)	78(3)	71(3)	69(5)	65(2)	64(3)	72(21)
Tempo	Canada	54(6)	56(6)	51(6)	67(6)			57(24)
Carlton (Yield in kg/ha)		691	624	611	563	248	601	598(33)

(1) Meadow Bromegrass - (Bromus biebersteinii Roem et Schult.)

* Data years.

Fescue, Red (Festuca rubra L.) Yields shown as % of Boreal

Agram	(1)	Netherlands	46(5)	28(6)	24(6)	29(4)		31(21)
Atlanta	(1)	Netherlands	34(5)	21(3)	20(3)	24(2)		24(13)
Ballade	(2)	France	9(3)	16(3)	8(3)	17(2)	8(2)	11(13)
Banner	(1)	United States	56(5)	37(6)	43(6)	34(4)	21(2)	41(23)
Bastide	(2)	France	20(6)	19(6)	9(6)	4(4)	11(2)	14(24)
Bergond	(3)	Denmark	39(3)					39(3)
Bingo	(1)	Netherlands	21(3)	30(3)	22(3)	51(2)		29(11)
Boreal	(3)	Canada	100(10)	100(6)	100(6)	100(6)	100(2)	100(32)
Cascade	(4)	United States		23(3)	21(3)	18(2)		21(8)
Checker	(4)	United States	50(3)	29(3)	26(3)	36(2)		35(11)
Chiwago	(2)	West Germany	36(2)					36(2)
Dawson	(2)	Netherlands		39(3)	43(2)	21(2)		35(7)
Diamond	(1)	Netherlands	50(2)	24(3)	27(3)	18(2)		29(10)
Eboli	(1)	Denmark	15(2)					15(2)

Species	Cultivar	Origin	B'lodge A	B'lodge B	Falher	Fort Vermilion	Gimle	High Level	All Locations
	Encota	(1) Netherlands		18(3)	22(3)	20(2)			20(8)
	Engina	(3) Netherlands	73(3)	112(3)	67(3)	71(2)			82(11)
	Ensylva	(3) Netherlands	33(6)	45(6)	25(6)	33(4)		42(2)	35(24)
	Envira	(3) Netherlands	72(6)	93(6)	92(6)	69(4)		114(2)	85(24)
	Enzet	(3) Netherlands	93(6)	91(6)	82(6)	74(4)		130(2)	90(24)
	Epaulette	(2) United Kingdom	11(3)	14(3)	11(3)	13(2)		11(2)	12(13)
	Falter	(1) West Germany	10(2)						10(2)
	Famosa	(1) Belgium		19(3)	33(3)	29(2)			27(8)
	Faramir	(2) Denmark	22(2)						22(2)
	Fidelimo	(1) Netherlands	28(5)	30(3)	28(3)	41(4)	31(2)		32(17)
	Fortress	(3) United States	51(6)	73(6)	47(6)	42(4)		58(2)	55(24)
	Frida	(1) Netherlands	17(3)	28(3)	34(2)	25(2)			25(10)
	Futuro	(3) West Germany	21(2)						21(2)
	Gavotte	(1) Netherlands	18(2)						18(2)
	Grelø	(2) Denmark	19(3)	25(3)	7(3)	11(2)			16(11)
	Hackle	(2) United Kingdom	11(3)	9(3)	4(3)	8(2)		3(2)	7(13)
	Hawk	(2) United Kingdom	75(2)						75(2)
	Highlight	(1) Netherlands		29(3)	30(3)	24(2)			28(8)
	Ivalo	(1) Denmark	32(2)	29(6)	19(6)	26(4)			26(19)
	Jade	(1) Netherlands	35(3)						35(3)
	Keszthelyi	2(2) Hungary	45(3)	63(6)	57(6)	32(4)		43(2)	51(21)
	Koket	(1) Netherlands		40(3)	30(3)	29(2)			34(8)
	Leik	(3) Norway	80(5)	74(3)	66(3)	156(4)	88(2)	121(2)	98(19)
	Lifalla	(1) West Germany		30(3)	33(3)	21(2)			29(8)
	Lirota	(1) West Germany	13(2)						13(2)
	Lirouge	(1) West Germany	19(3)	17(6)	18(6)	29(4)			20(19)
	Lobi	(1) West Germany	36(2)						36(2)
	Luster	(1) Netherlands	18(5)	27(3)	15(3)	35(4)	38(2)		25(17)
	Manoir	(2) France	9(3)	25(3)	7(3)	11(2)			13(11)
	Menuet	(1) Netherlands		28(3)	31(3)	21(2)			27(8)
	Merlin	(2) United Kingdom	13(3)	20(3)	10(3)	8(2)			13(11)
	Milda	(3) France	37(5)	47(3)	39(3)	27(3)	42(2)		38(16)
	Moncorde	(3) Netherlands	55(6)	61(6)	50(6)	61(4)		40(2)	56(24)
	Oasis	(2) Netherlands	20(9)	26(6)	31(5)	13(6)	32(2)		23(28)
	Odra	(1) West Germany		35(3)	46(3)	38(2)			40(8)
	Oriflamme	(2) United Kingdom	18(3)	21(3)	17(3)	31(2)		54(2)	26(13)
	Parita	(1) Netherlands	28(3)	29(3)	30(3)	59(2)			34(11)
	Pernille	(3) Denmark	37(3)	43(6)	35(6)	30(4)		54(2)	38(21)
	Pollux	(3) Denmark		70(6)	62(6)	45(4)		63(2)	61(18)

Species Cultivar	Origin	B'lodge A	B'lodge B	Falher	Fort Vermilion	Gimle	High Level	All Locations
Puma	(1) Denmark	32(6)	31(6)	25(6)	31(4)			30(22)
Rapid	(3) Netherlands	61(3)	87(6)	80(6)	64(4)		116(2)	80(21)
Rasengold	(1) West Germany		43(3)	44(3)	28(2)			40(8)
Reptans	(3) Sweden		76(3)	80(3)	75(2)		92(2)	80(10)
Roland 21	(3) West Germany		72(3)	71(3)	50(2)		68(2)	67(10)
Rolax	(1) Belgium		48(3)	37(3)	23(2)			39(8)
Rubina Roskilde	(3) Denmark	58(3)						58(3)
Scarlet	(1) Netherlands	42(5)	31(6)	28(6)	41(4)			35(21)
Solfège	(1) France	25(2)						25(2)
Sonnet	(2) Netherlands	13(3)	18(3)	7(3)	11(2)			12(11)
Tamara	(1) Denmark		36(3)	39(3)	34(2)			37(8)
Tatjana	(1) Denmark	30(3)	40(6)	43(5)	47(4)			41(18)
Tridano	(3) Denmark	56(2)						56(2)
Valaska	(4) Czechoslovakia	42(5)	23(3)	27(3)	45(4)	44(2)		37(17)
Veni	(1) Denmark	31(6)	38(6)	38(6)	31(4)			35(22)
Waldorf	(1) Netherlands		28(3)	24(3)	25(2)			26(8)
Zernickower	(3) East Germany	62(5)	86(3)	64(3)	75(4)	88(2)	131(2)	79(19)
Boreal (Yield in kg/ha)		454	585	511	540	594	390	510(32)

- (1) Rhizomes absent or rudimentary.
(2) Slender rhizomes.
(3) Strong rhizomes.
(4) Unclassified.

Timothy (*Phleum pratense* L.) Yields shown as % of Climax

Alpage	France	109(5)	101(3)	137(3)	113(5)	116(2)	99(3)	112(21)
Barmidi	Netherlands	71(3)	76(3)	71(2)	36(1)			69(9)
Barmoti	Netherlands		125(3)	121(2)	85(2)			112(7)
Bartimi	Netherlands	125(3)	112(6)	119(5)	112(5)		83(3)	111(22)
Barvanti	Netherlands	74(3)	61(3)	62(2)	22(2)			57(10)
Basho	Canada	65(6)	77(6)	62(5)	46(3)		40(3)	62(23)
Bilbo	Denmark	119(6)	117(3)	130(3)	121(3)		129(3)	123(18)
Bodin	Norway		155(3)	177(2)	168(2)			165(7)
Bottnia II	Sweden	173(6)	125(6)	164(5)	232(5)		285(3)	185(25)
Bounty	Canada	70(3)	71(3)	72(2)	117(3)		72(3)	81(4)
Castella	Netherlands		76(3)					76(3)
Champ	Canada	109(3)	79(3)	75(2)	84(3)		71(3)	84(14)

Species	Cultivar	Origin	B'lodge A	B'lodge B	Falher	Fort Vermilion	Gimle	High Level	All Locations
	Clair	United States	78(3)						78(3)
	Climax	Canada	100(10)	100(6)	100(5)	100(7)	100(2)	100(3)	100(33)
	Dolema	West Germany	53(3)						53(3)
	Engmo	Norway	185(6)	138(6)	180(5)	239(5)		264(3)	193(25)
	Erecta	Belgium	124(3)	95(6)	104(5)	81(5)		125(3)	102(22)
	Farol	Netherlands		76(3)	59(2)				69(5)
	Forus	Norway		115(3)	117(2)	106(2)			113(7)
	Georgikon	Hungary		110(3)	147(2)	99(2)			117(7)
	Goliath	Netherlands	115(6)	105(6)	123(5)	112(5)		156(3)	119(25)
	Grindstad	Norway		122(3)	88(2)	99(2)			106(7)
	Hokuo	Japan	94(3)	92(3)	60(2)	76(2)			83(10)
	Hokusyu	Japan	124(5)	82(3)	190(3)	110(5)	71(2)	169(3)	125(21)
	Itasca	Sweden	79(3)	75(3)	84(3)	100(3)		101(3)	88(15)
	Karpa	Iceland	251(5)	138(6)	203(5)	222(7)	173(2)	270(3)	207(28)
	Ludor	France	52(5)	50(3)	58(3)	58(5)	61(2)	56(3)	55(21)
	Mahndorfer	West Germany		115(3)	113(2)	67(2)			101(7)
	Melora	Netherlands	113(5)	81(3)	105(3)	81(5)	88(2)	90(3)	94(21)
	Mino	Denmark	91(6)	91(6)	77(5)	65(5)		117(3)	86(25)
	Motim	Netherlands	89(3)	69(3)	94(2)	42(2)			75(10)
	Motterwitzer	East Germany	121(3)						121(3)
	Nosappu	Japan	162(5)	126(3)	123(3)	127(5)	115(2)	117(3)	132(21)
	Otto	Finland	164(3)	134(6)	198(5)	194(5)		203(3)	176(22)
	Palermo	Netherlands	41(3)	55(3)	22(2)	9(2)			37(10)
	Para	Poland		105(3)					105(3)
	Phlewiola	West Germany		86(3)	98(2)	104(2)			95(7)
	Polka	United Kingdom	113(6)	101(3)	121(3)	128(3)		90(3)	111(18)
	Pota	Denmark	111(6)	111(6)	105(5)	105(5)		82(3)	105(25)
	Pronto	United States	98(6)	105(6)	100(5)	84(5)		144(3)	103(25)
	Purlieu	United Kingdom	84(6)	96(3)	122(3)	87(3)		92(3)	94(18)
	Ramona	Netherlands		47(6)	10(2)	30(1)			37(9)
	Rasant	West Germany	165(6)	140(6)	214(5)	161(5)		216(3)	174(25)
	Richmond	Canada	100(3)	107(6)	108(5)	97(5)		105(3)	104(22)
	Salvo	Canada	74(7)	68(3)	56(3)	62(5)	60(2)	60(3)	65(23)
	Tammisto	Finland		126(3)	168(2)	157(2)			147(7)
	Tarmo	Finland		139(3)	167(2)	108(2)			138(7)
	Tilda	Denmark	128(3)	108(6)	112(5)	169(3)		146(3)	127(20)
	Timfor	United States	92(3)	89(3)	96(2)	64(2)			86(10)
	Topas Otofte	Denmark	126(6)	105(6)	76(4)	120(5)		127(3)	111(24)
	Verdant	United States	109(6)	102(6)	116(5)	101(5)		120(3)	108(25)

Species	Cultivar	Origin	B'lodge A	B'lodge B	Falher	Fort Vermilion	Gimle	High Level	All Locations
	Sally 4n	Sweden	40(2)	62(6)	26(6)	44(3)			44(17)
	Sara 4n	Sweden	40(4)	86(3)	27(3)	49(3)	50(2)		50(15)
	Start	Czechoslovakia	41(2)						41(2)
	Temara 4n	Switzerland	13(2)	16(3)	4(2)	0(1)			10(8)
	Tripo 4n	Norway		54(3)	56(3)				55(6)
	Triton 4n	Sweden	47(2)						47(2)
	Altaswede (Yield in kg/ha)		298	414	214	737	324		409(26)