

Cultivar Screening Trial  
Seeding Year: 1985

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating		Herbage Yield Rating	
					1986	1987	1986	1987
Timothy ( <u>Phleum pratense</u> L.) cont'd								
	Winmor	United States	5.0	83	4.0	2.67	4.3	3.33
	Wugra	East Germany	5.0	72	4.0	3.00	4.7	3.33
	WWT 100	Sweden	5.0	75	4.0	3.33	4.7	2.67
	Z 3022	West Germany	5.0	72	4.0	3.00	4.0	2.67
	* Climax (Yield in kg/ha)				374	265		

Cultivar Screening Trial  
Seeding Year: 1986

Species	Cultivar	Origin	Hardiness	Height (cm)	Date Ripe	Seed Yield (kg/ha)	% of St*	Herbage Yield Rating
Alfalfa ( <i>Medicago sativa</i> L.)								
	555	United States	5.0	57	Sep 11	288	46	3.00
	581	United States	5.0	59	Sep 11	240	39	3.00
	5929	United States	5.0	62	Sep 11	147	24	2.00
	Alouette	Canada	5.0	62	Sep 11	705	114	3.33
	Apollo II	United States	5.0	60	Sep 11	606	98	3.00
	Armor	United States	5.0	63	Sep 11	702	113	3.00
	Beaver*	Canada	5.0	62	Sep 11	620	100	3.33
	Caliverde	United States	5.0	58	Sep 11	239	39	2.67
	Cheronia	Greece	5.0	60	Sep 11	181	29	2.33
	CUF 101	United States	5.0	55	Sep 11	89	14	2.00
	Dart	United States	5.0	60	Sep 11	695	112	3.00
	DK 135	United States	5.0	55	Sep 11	530	85	3.00
	Drummor	United States	5.0	58	Sep 11	638	103	3.67
	Honeoye	United States	5.0	57	Sep 11	669	108	3.33
	Husky	United States	5.0	57	Sep 11	577	93	3.00
	Itaca	Italy	5.0	57	Sep 11	261	42	2.67
	Julus	Sweden	5.0	58	Sep 11	593	96	2.67
	Pierce	United States	5.0	60	Sep 11	277	45	2.33
	Roma	Italy	5.0	62	Sep 11	239	39	2.33
	San Isidro	Spain	5.0	50	Sep 11	51	8	2.00
	Surpass	United States	5.0	58	Sep 11	470	76	2.67
	Szentesi Rona	Hungary	5.0	58	Sep 11	673	109	3.33
	Thunder	United States	5.0	63	Sep 11	669	108	3.67
	Mean					436.1		
	L.S.D. (P = 0.05)					250.5		

Sainfoin (*Onobrychis viciifolia* Scop.)

	Melrose*	Canada	5.0	58		485	100	3.67
--	----------	--------	-----	----	--	-----	-----	------

Cultivar Screening Trial  
Seeding Year: 1986

Species	Cultivar	Origin	Hardiness	Height (cm)	Date Ripe	Seed Yield (kg/ha)	% of St*	Herbage Yield Rating
<u>Sainfoin (<i>Onobrychis viciifolia</i> Scop.) cont'd</u>								
	Nova	Canada	5.0	62		374	77	3.33
	Visnovsky vicesecny	Czechoslovakia	5.0	53		53	11	2.33
	Mean					304.0		
	L.S.D. (P = .05)					540.8		
<u>Hard Fescue (<i>Festuca ovina</i> L.)</u>								
	Barreppo	Netherlands	5.0	33	July 6	117	54	2.33
	Biljart*	Netherlands	5.0	37	July 6	218	100	2.67
	Espro	Poland	5.0	35	July 6	242	111	2.33
	Fakir	Netherlands	5.0	40	July 6	183	84	3.00
	Galop	Netherlands	5.0	37	July 6	156	72	2.67
	Reliant	United States	5.0	40	July 6	265	122	3.33
	Saphir	France	5.0	10	*	3	1	1.00
	Silvana	Netherlands	5.0	38	July 6	224	103	3.33
	Mean					191.9		
	L.S.D. (P = .05)					112.2		
<u>Meadow Fescue (<i>Festuca pratensis</i> Huds.; <i>F. elatior</i> auct.)</u>								
	Leopard	West Germany	5.0	72	July 15	524	79	4.67
	Liforte	West Germany	5.0	80	July 15	858	130	4.67
	Mimer*	Sweden	5.0	78	July 15	660	100	4.67
	Pluto	Netherlands	5.0	72	July 15	490	74	4.00
	Stella	Netherlands	5.0	73	July 15	605	92	4.33
	Mean					617.9		
	L.S.D. (P = .05)					235.6		

Cultivar Screening Trial  
Seeding Year: 1986

Species	Cultivar	Origin	Hardiness	Height (cm)	Date Ripe	Seed Yield (kg/ha) % of St*	Herbage Yield Rating
<u>Red Fescue (Festuca rubra L.)</u>							
	Alltop (1)	West Germany	5.0	50	July 13	203 34	2.33
	Boreal* (3)	Canada	5.0	58	July 13	593 100	3.67
	GRF 85 (3)	United States	5.0	47	July 11	35 6	2.00
	Laurent (1)	Belgium	5.0	45	July 10	134 23	2.33
	Rosana (1)	Czechoslovakia	5.0	40	July 10	56 9	2.00
	Victory (1)	United States	5.0	52	July 10	231 39	2.67
	Mean					219.0	
	L.S.D. (P = .05)					273.7	
	(1) Rhizomes absent or rudimentary						
	(2) Slender rhizomes						
	(3) Strong rhizomes						
<u>Tall Fescue (Festuca arundinacea Schreb.)</u>							
	Adora	France	5.0	73	July 17	84 22	3.33
	Au-triumph	United States	5.0	55	July 15	239 62	2.00
	Clemfine	United States	5.0	77	July 17	120 31	3.33
	Donia	France	5.0	60	July 17	217 56	2.00
	Falcon	United States	5.0	75	July 17	237 61	3.67
	Grombali	Tunisia	0.0	*	*	0 0	0.00
	Kentucky 31*	United States	5.0	67	July 15	386 100	3.67
	Mustang	United States	5.0	60	July 17	294 76	2.33
	Mean					200.5	
	L.S.D. (P = .05)					198.5	

Cultivar Screening Trial  
Seeding Year: 1986

Species	Cultivar	Origin	Hardiness	Height (cm)	Date Ripe	Seed Yield (kg/ha)	% of St*	Herbage Yield Rating
<b>Orchardgrass (<u>Dactylis glomerata</u> L.)</b>								
	Arly	France	5.0	73	July 13	295	46	4.33
	Baza	Poland	5.0	100	July 17	362	56	4.67
	Kay*	Canada	5.0	88	July 13	645	100	4.33
	Keszthelyi 54	Hungary	5.0	83	July 13	452	70	3.33
	Leigestra	West Germany	5.0	73	July 13	536	83	4.00
	Shinyo	Japan	5.0	77	July 13	346	54	3.33
	Sparta	Denmark	5.0	75	July 13	294	46	3.33
	Trebina	East Germany	5.0	77	July 13	679	105	4.00
	Mean					451.1		
	L.S.D. (P = .05)					200.8		
<b>Hybrid Ryegrass (<u>Lolium x Boucheanum</u> Kunth)</b>								
	Aloha	Ireland	3.33	62	July 24	526	66	3.00
	Butler*	Denmark	3.33	63	July 23	795	100	3.33
	Esga	Poland	2.00	62	July 25	664	84	3.00
	Gazella	Switzerland	3.67	58	July 21	420	53	3.33
	Tetrelite	United States	3.67	63	July 24	786	99	3.67
	Mean					638.3		
	L.S.D. (P = .05)					690.0		
<b>Red Top (<u>Agrostis gigantea</u> Roth)</b>								
	Freja	Sweden	5.0	48	Aug 11	375	69	2.67
	Gosta	Poland	5.0	63	Aug 11	308	57	3.33
	Kita	Poland	5.0	67	Aug 11	386	71	3.33
	Listra	West Germany	5.0	62	Aug 11	394	73	3.00

Cultivar Screening Trial  
Seeding Year: 1986

Species	Cultivar	Origin	Hardiness	Height (cm)	Date Ripe	Seed Yield (kg/ha) % of St*		Herbage Yield Rating
Red Top ( <u>Agrostis gigantea</u> Roth) cont'd								
	NFG*	West Germany	5.0	68	Aug 11	541	100	3.67
	Streaker	United States	5.0	63	Aug 11	452	84	3.33
	Zygma	Poland	5.0	67	Aug 11	360	67	3.33
	Mean					395.3		
	L.S.D. (P = .05)					123.7		

Species	Cultivar	Origin	Hardiness	Height (cm)	Date Ripe	Seed Yield (kg/ha) % of St*		Herbage Yield (t/ha DM) <sup>1</sup>
Perennial Ryegrass ( <u>Lolium perenne</u> L.)								
	Amado	Denmark	5.0	48	July 27	483	59	3.54
	Antrim	United Kingdom	5.0	38	July 30	444	55	3.79
	Argone	Poland	5.0	40	July 31	337	41	3.50
	Barylou	Netherlands	5.0	32	July 17	263	32	2.52
	Chantal	Denmark	5.0	48	July 30	354	44	3.35
	Cockade	United Kingdom	5.0	40	July 31	505	62	3.02
	Danny	Denmark	5.0	43	July 30	504	62	3.59
	Duramo	West Germany	5.0	43	July 28	396	49	3.96
	Edgar	Netherlands	5.0	37	July 27	385	47	3.60
	Gambit	Netherlands	5.0	42	July 30	141	17	3.01
	Gator	United States	5.0	33	July 27	710	87	2.35
	Hella	Denmark	5.0	37	July 17	342	42	3.11
	Hermes	Netherlands	5.0	37	July 28	539	66	2.95
	Honneur	Netherlands	5.0	37	July 31	356	44	3.62
	Kerdion	Netherlands	5.0	37	July 31	325	40	3.65

<sup>1</sup> Perennial Ryegrass - regrowth harvested September 10 and herbage weights measured.

Cultivar Screening Trial  
Seeding Year: 1986

Species	Cultivar	Origin	Hardiness	Height (cm)	Date Ripe	Seed Yield (kg/ha) % of St*	Herbage Yield (t/ha DM) <sup>1</sup>
Perennial Ryegrass ( <i>Lolium perenne</i> L.) cont'd							
	Lilasso	West Germany	5.0	43	July 29	761 94	3.82
	Limage	West Germany	5.0	40	July 30	417 51	3.75
	Limes	West Germany	5.0	35	July 31	219 27	2.83
	Lisabelle	West Germany	5.0	38	July 30	377 46	3.39
	Manhattan	United States	5.0	35	July 21	664 82	2.95
	Master	Netherlands	5.0	30	July 28	424 52	2.94
	Matura	East Germany	5.0	47	July 31	447 55	4.41
	Mondial	Netherlands	5.0	37	July 30	460 57	2.39
	Norlea*	Canada	5.0	43	July 30	813 100	3.35
	Outsider	Netherlands	5.0	38	July 31	553 68	2.78
	Ovation	Netherlands	5.0	32	July 24	680 84	1.64
	Palmer	United States	5.0	38	July 22	932 115	3.52
	Patora	Denmark	5.0	40	July 31	360 44	3.06
	Pelleas	Netherlands	5.0	38	July 30	406 50	3.48
	Peramo	West Germany	5.0	43	July 19	767 94	3.53
	Polly	Denmark	5.0	48	July 27	493 61	3.62
	Rally	Denmark	5.0	47	July 31	478 59	3.48
	Ranger	West Germany	5.0	38	July 27	661 81	3.01
	Riikka	Finland	5.0	47	July 30	820 101	3.49
	Spargo	Netherlands	5.0	48	July 30	421 52	4.35
	Tasdale	Australia	5.0	40	July 17	535 66	3.08
	Mean					493.6	3.29
	L.S.D. (P = .05)					267.8	1.01

<sup>1</sup> Perennial Ryegrass - regrowth harvested September 10 and herbage weights measured.

**NORTHERN ALBERTA  
REPLICATED TRIAL  
SEED YIELD SUMMARY**



## SUMMARY OF FORAGE SEED YIELDS IN NORTHERN ALBERTA

Species Cultivar	Origin	B'lodge A	B'lodge B	Falher	Fort Vermillion	Gimle	High Level	All Locations
Bromegrass, Smooth ( <u>Bromus inermis</u> Leyss.) Yields shown as % of Carlton								
Baylor	United States	68(3)*	55(3)	73(3)	72(3)		56(3)	65(15)
Beacon	United States	65(5)			45(2)	62(2)		60(9)
Blair	United States	42(3)	41(3)	43(3)	52(3)		40(3)	44(15)
Carlton	Canada	100(8)	100(6)	100(6)	100(8)	100(2)	100(3)	100(33)
Jubilee	Canada	60(5)	55(3)	52(3)	51(5)	64(2)	51(3)	55(21)
Lyon	United States	46(3)	70(3)	68(3)	52(3)			59(12)
Magna	Canada	86(3)	92(6)	99(6)	108(6)		96(3)	98(24)
Orfeu	Romania	81(6)	91(3)	94(3)	79(3)		107(3)	89(18)
Regar	(1) United States	47(3)	50(6)	45(6)	38(6)		38(3)	44(24)
Signal	Canada	124(8)	118(3)	105(3)	123(5)	157(2)	117(3)	123(24)
Svaja	Sweden	81(5)	78(3)	71(3)	69(5)	65(2)	64(3)	72(21)
Tempo	Canada	54(6)	56(6)	51(6)	67(6)			57(24)
Carlton (Yield in kg/ha)		691(8)	624(6)	611(6)	563(8)	248(2)	601(3)	598(33)

(1) Meadow Bromegrass - (Bromus biebersteinii Roem et Schult.)

\* Data years

Fescue, Red (Festuca rubra L.) Yields shown as % of Boreal

Accent	(3) Netherlands	51(1)	54(1)					53(2)
Agram	(1) Netherlands	46(5)	28(6)	24(6)	29(4)			31(21)
Atlanta	(1) Netherlands	34(5)	21(3)	20(3)	24(2)			24(13)
Banner	(4) United States	56(5)	37(6)	43(6)	34(4)		21(2)	41(23)
Bastide	(2) France	20(6)	19(6)	9(6)	4(4)		11(2)	14(24)
Beauty	(1) Netherlands	29(2)	42(2)		42(2)	61(1)		41(7)
Bingo	(1) Netherlands	21(3)	30(3)	22(3)	51(2)			29(11)
Boreal	(3) Canada	100(13)	100(9)	100(6)	100(8)	100(3)	100(2)	100(41)
Cascade	(4) United States		23(3)	21(3)	18(2)			21(8)
Ceres	(3) Netherlands	35(1)	25(1)					30(2)
Checker	(4) United States	50(3)	29(3)	26(3)	36(2)			35(11)
Claudia	(3) Netherlands	44(1)	37(1)					41(2)
Commodore	(3) Netherlands	61(2)	82(2)		50(2)	73(1)		66(7)

Species	Cultivar	Origin	B' lodge A	B' lodge B	Falher	Fort Vermilion	Gimle	High Level	All Locations
	Dawson	(2) Netherlands		39(3)	43(2)	21(2)			35 (7)
	Diamond	(1) Netherlands	50(2)	24(3)	27(3)	18(2)			29(10)
	Eboli	(1) Denmark	15(2)						15 (2)
	Encota	(1) Netherlands		18(3)	22(3)	20(2)			20 (8)
	Engina	(3) Netherlands	73(3)	112(3)	67(3)	71(2)			82(11)
	Ensylva	(3) Netherlands	33(6)	45(6)	25(6)	33(4)		42(2)	35(24)
	Envira	(3) Netherlands	72(6)	93(6)	92(6)	69(4)		114(2)	85(24)
	Epaulette	(2) United Kingdom	11(3)	14(3)	11(3)	13(2)		11(2)	12(13)
	Falter	(1) West Germany	10(2)						10 (2)
	Faramir	(2) Denmark	22(2)						22 (2)
	Fortress	(3) United States	51(6)	73(6)	47(6)	42(4)		58(2)	55(24)
	Frida	(1) Netherlands	17(3)	28(3)	34(2)	25(2)			25(10)
	Futuro	(3) West Germany	21(2)						21 (2)
	G	(2) Hungary	80(2)	83(2)		78(2)	80(1)		80 (7)
	Gavotte	(1) Netherlands	18(2)						18 (2)
	Hackle	(2) United Kingdom	11(3)	9(3)	4(3)	8(2)		3(2)	7(13)
	Hawk	(2) United Kingdom	75(2)						75 (2)
	Highlight	(1) Netherlands		29(3)	30(3)	24(2)			28 (8)
	Ivalo	(1) Denmark	32(2)	29(6)	19(6)	26(4)			26(18)
	Keszthelyi 2	(2) Hungary	45(3)	63(6)	57(6)	32(4)		43(2)	51(21)
	Koket	(1) Netherlands		40(3)	30(3)	29(2)			34 (8)
	Leik	(3) Norway	90(7)	82(5)	66(3)	130(6)	79(3)	121(2)	96(26)
	Lifalla	(1) West Germany		30(3)	33(3)	21(2)			29 (8)
	Lirota	(1) West Germany	13(2)						13 (2)
	Lirouge	(1) West Germany	19(3)	17(6)	18(6)	29(4)			20(19)
	Lobi	(1) West Germany	36(2)						36 (2)
	Luster	(1) Netherlands	18(5)	27(3)	15(3)	35(4)	38(2)		25(17)
	Manoir	(2) France	9(3)	25(3)	7(3)	11(2)			13(11)
	Menuet	(1) Netherlands		28(3)	31(3)	21(2)			27 (8)
	Merlin	(2) United Kingdom	13(3)	20(3)	10(3)	8(2)			13(11)
	Moncorde	(3) Netherlands	55(6)	61(6)	50(6)	61(4)		40(2)	56(24)
	Oasis	(2) Netherlands	20(9)	26(6)	31(5)	13(6)	32(2)		23(28)
	Odra	(1) West Germany		35(3)	46(3)	38(2)			40 (8)
	Oriflamme	(2) United Kingdom	18(3)	21(3)	17(3)	31(2)		54(2)	26(13)
	Parita	(1) Netherlands	28(3)	29(3)	30(3)	59(2)			34(11)
	Perelle	(2) France	14(2)	14(2)		10(2)			13 (6)
	Pernille	(3) Denmark	37(3)	43(6)	35(6)	30(4)		54(2)	38(21)
	Puma	(1) Denmark	32(6)	31(6)	25(6)	31(4)			30(22)

Species	Cultivar	Origin	B' lodge A	B' lodge B	Falher	Fort Vermilion	Gimle	High Level	All Locations
	Rapid	(3) Netherlands	61(3)	87(6)	80(6)	64(4)		116(2)	80(21)
	Rasengold	(1) West Germany		43(3)	44(3)	28(2)			40 (8)
	Reptans	(3) Sweden	68(6)	76(3)	80(3)	75(2)		92(2)	76(16)
	Roland 21	(3) West Germany	50(6)	72(3)	71(3)	50(2)		68(2)	60(16)
	Rolax	(1) Belgium		48(3)	37(3)	28(2)			39 (8)
	Rubina Roskilde	(3) Denmark	58(3)						58 (3)
	Satin	(2) Sweden	22(2)	26(2)		20(2)	26(1)		23 (7)
	Scarlet	(1) Netherlands	42(5)	31(6)	28(6)	41(4)			35(21)
	Solfège	(1) France	25(2)						25 (2)
	Sonnet	(2) Netherlands	13(3)	18(3)	7(3)	11(2)			12(11)
	Szarvasi 58	(2) Hungary	54(1)	84(1)					69 (2)
	Tamara	(1) Denmark		36(3)	39(3)	34(2)			37 (8)
	Tatjana	(1) Denmark	30(3)	40(6)	43(5)	47(4)			41(18)
	Terhi	(3) Finland	77(1)	87(1)					82 (2)
	Tridano	(3) Denmark	56(2)						56 (2)
	Veni	(1) Denmark	31(6)	38(6)	38(6)	31(4)			35(22)
	Victor	(3) Netherlands	70(1)	63(1)					67 (2)
	Waldorf	(1) Netherlands		28(3)	24(3)	26(2)			26 (8)
	Zernickower	(3) East Germany	77(7)	95(5)	64(3)	73(6)	88(3)	131(2)	83(26)
	Boreal (Yield in kg/ha)		510(13)	657(9)	511(6)	618(8)	898(3)	390(2)	586(41)

- (1) Rhizomes absent or rudimentary  
(2) Slender rhizomes  
(3) Strong rhizomes  
(4) Unclassified

Timothy (*Phleum pratense* L.) Yields shown as % of Climax

Adda	Iceland	248(2)	211(2)		313(2)	227(2)		250 (8)
Alexander	Sweden	87(1)	145(1)					116 (2)
Alma	Finland	160(1)	204(1)					182 (2)
Alpage	France	109(5)	101(3)	137(3)	113(5)	116(2)	99(3)	112(21)
Barmidi	Netherlands	71(3)	76(3)	71(2)	36(1)			69 (9)
Barmoti	Netherlands		125(3)	121(2)	85(2)			112 (7)
Barnee	Netherlands	59(1)	55(1)					57 (2)
Bartimi	Netherlands	125(3)	112(6)	119(5)	112(5)		83(3)	111(22)
Barvanti	Netherlands	74(3)	61(3)	62(2)	22(2)			57(10)



Species Cultivar	Origin	B' lodge A	B' lodge B	Falher	Fort Vermilion	Gimle	High Level	All Locations
Salvo	Canada	74(7)	68(3)	56(3)	62(5)	60(2)	60(3)	65(23)
Tammisto	Finland		126(3)	168(2)	157(2)			147(7)
Tarmo	Finland		139(3)	167(2)	108(2)			138(7)
Thibet	Netherlands	32(1)	41(1)					37(2)
Tiiti	Finland	177(4)	135(4)	247(3)	266(3)		222(3)	203(17)
Tiller	Netherlands	79(1)	86(1)					83(2)
Timfor	United States	92(3)	89(3)	96(2)	64(2)			86(10)
Tirom	Romania	99(1)	118(1)					109(2)
Topas Otofte	Denmark	126(6)	105(6)	76(4)	120(5)		127(3)	111(24)
Tromba	Netherlands	104(1)	128(1)					116(2)
Verdant	United States	109(6)	102(6)	116(5)	101(5)		120(3)	108(25)
Winmor	United States	48(1)	67(1)					58(2)
Wugra	East Germany	88(1)	118(1)					103(2)
Climax (Yield in kg/ha)		317(13)	285(8)	138(5)	218(9)	308(4)	119(3)	257(43)

Clover, Red (Trifolium pratense L.) Yields shown as % of Altaswede

Altaswede	Canada	100(8)	100(8)	100(6)	100(8)	100(2)		100(32)
Astra 4n	United Kingdom		35(2)	26(3)	33(3)			31(8)
Bjorn	Sweden	76(5)	78(6)	70(6)	86(6)			78(23)
Deben 4n	United Kingdom	17(2)						17(2)
Diper	France	29(2)						29(2)
Fanny 4n	Sweden	59(2)	35(2)		100(2)			65(6)
Florex	United States	67(4)	77(3)	20(2)	47(2)	77(2)		61(13)
Florie	United States	46(4)	60(3)	19(2)	32(2)	45(2)		43(13)
Fox	France	15(1)	0(1)		36(1)			17(3)
Gollum	Denmark	92(4)	87(3)	28(2)	49(2)	82(2)		73(13)
Granta	United Kingdom	66(2)	29(4)	17(2)	0(2)			28(10)
Grasslands Pawera	New Zealand	32(3)	41(3)	4(1)	0(1)			28(8)
Gumpensteiner	Austria	41(3)	22(5)	9(2)	4(2)			22(12)
Hamidori 4n	Japan		5(2)					5(2)
Hedda 4n	Sweden	63(2)	39(2)		116(2)			73(6)
Heges Hohenheimer	West Germany		0(1)		0(1)			0(2)
Janbo 4n	West Germany	20(2)						20(2)
Kenstar	United States	27(2)						27(2)
Kora	Sweden	72(2)	70(2)		89(2)			77(6)
Krano Pajbjerg	Denmark	126(3)	97(6)	55(5)	36(2)			82(16)

Species	Cultivar	Origin	B'lodge A	B'lodge B	Falher	Fort Vermilion	Gimle	High Level	All Locations
	Kvarta	Czechoslovakia	28(2)						28 (2)
	Lossam 4n	France	22(2)	12(2)	3(2)	0(1)			11 (7)
	Marcom	France		3(2)		0(1)			2 (3)
	Marino	East Germany	51(4)	36(3)	17(2)	41(2)	44(2)		40(13)
	Matri 4n	East Germany	34(2)	3(2)		93(2)			43 (6)
	Molly 4n	Sweden	28(2)	11(2)		75(2)			38 (6)
	Mont-Calme	Switzerland	46(3)	22(5)	9(2)	14(2)			25(12)
	Napoca 4n	Romania	30(2)	0(1)		65(1)			31 (4)
	Norlac	Canada	102(7)	105(8)	88(6)	120(8)			101(29)
	Norseman 4n	United Kingdom		0(1)		0(1)			0 (2)
	Pacific	Canada	80(2)	33(3)	0(1)	3(2)			33 (8)
	Palna	Denmark	102(4)	82(3)	23(2)	25(2)	87(2)		71(13)
	Patavium	Italy	51(2)	38(2)	1(2)	0(1)			26 (7)
	Perenta 4n	East Germany	30(3)	16(6)	13(2)	18(3)			19(14)
	Quin	United Kingdom	29(2)						29 (2)
	Quinequeli	Chile	43(2)	51(2)	0(1)	0(1)			31 (6)
	Red Head 4n	West Germany		0(1)					0 (1)
	Redman	United States	42(2)						42 (2)
	Renova	Switzerland	15(2)	0(1)		36(1)			13 (4)
	Sally 4n	Sweden	40(2)	62(6)	26(6)	44(3)			44(17)
	Sara 4n	Sweden	40(4)	86(3)	27(3)	49(3)	50(2)		50(15)
	Start	Czechoslovakia	41(2)						41 (2)
	Temara 4n	Switzerland	13(2)	16(3)	4(2)	0(1)			10 (8)
	Tripo 4n	Norway		54(3)	56(3)				55 (6)
	Triton 4n	Sweden	47(2)						47 (2)
	Altaswede (Yield in kg/ha)		326(8)	337(8)	214(6)	622(8)	324(2)		382(32)