FARM FUEL STORAGE & HANDLING



Agdex 769-1

Acknowledgements

Technical content prepared by:

Melissa Orr, E.I.T. Agricultural Water Engineer Alberta Agriculture and Rural Development

Publication developed by:

Alberta Agriculture and Rural Development Agriculture Stewardship Division Technology and Innovation Branch

Special acknowledgement of contribution:

Dave Rea, Alberta Agriculture and Rural Development Virginia Nelson, Alberta Agriculture and Rural Development Rick Atkins, Alberta Agriculture and Rural Development Mihaela Manolescu, Alberta Agriculture and Rural Development Don Edgecombe, Petroleum Tank Management Association of Alberta Jeff Melchoir, Meristem Information Resources Ltd.

Additional photos courtesy of:

Alberta Environmental Farm Plan Company Clemmer Steelcraft Technologies Inc. M F P Mohawk Fuel Products Inc. and Scott Stack

Copies of this manual are available from:

Publications Office Alberta Agriculture and Rural Development J.G. O'Donoghue Building 7000 - 113 Street Edmonton, AB T6H 5T6 Phone Toll Free: 1-800-292-5697

Copyright © 2008. All rights reserved by her Majesty the Queen in the Right of Alberta.

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, or otherwise without permission from Alberta Agriculture and Rural Development.

Table of contents
1. Why is farm fuel storage and handling such an important issue? Environmental implications Financial implications
2. What can you do?
3. What is the legislation regarding farm fuel storage? Alberta Fire Code (AFC) Transportation of Dangerous Goods (TDG) Regulation
Environmental Protection and Enhancement Act (EPEA)
4. What are the risks? Health effects Fire Leaks and spills
-
5. What are other common issues with on farm fuel storage? Contamination Deterioration Evaporation Theft Transportation
6. What types of fuel storage systems are available? Above ground Underground
7. Planning a fuel storage site - What you need to know ULC-approved tank construction Secondary containment Location Foundation and supports Collision protection Grounding for prevention of static electricity Pumps, venting, valves, etc. Emergency plan and equipment
8. What do you do with the old tanks? Tank recycling
Tank disposal
9. Emergency procedures Fire Leaks or spills Contaminated soil
10. Are there special considerations for storing and handling biofuels? Ethanol-blended gasoline Biodiesel (B20 blends) Biodiesel (B100)
11. Appendix
Frequently asked questions Emergency plan and spill kit Monitoring for fuel losses and fuel inventory sheet For more information Glossary and acronyms

FARM FUEL STORAG

Page



List of tables	Page
Table 1: Evaporative losses from 1,200 litres (265 gallons) above ground gasoline storage tanks	9
Table 2: Summary of requirements for various sizes of portable tanks for gasoline and diesel	11
Table 3: Comparison of above ground storage tanks (ASTs) and underground storage tanks (USTs)	13
List of figures	
Figure 1: Fuel storage as a possible source of contamination	1
Figure 2: Well-planned petroleum storage site	2
Figure 3: WHMIS symbols for diesel fuel and gasoline	4
Figure 4: Fuel filter	8
Figure 5: Summer evaporation losses from 1,200 litres (265 gallons) gasoline storage	9
Figure 6: Cam lock fitting	10
Figure 7: Placards showing flammable symbol, class, UN number and shipping name	11
Figure 8: Portable tanks with proper signage, etc.	11
Figure 9: Underground storage tank	14
Figure 10: ULC mark	15
Figure 11: Diagram of double wall construction	15
Figure 12: Double wall vacuum monitoring gauge	16
Figure 13: Double walled, on-ground tank (horizontal model)	16
Figure 14: On-ground tank with containment dike	17
Figure 15: Fully enclosed secondary containment system	17
Figure 16: Minimum separation distances from petroleum storage	17
Figure 17: Double walled tanks using concrete supports on firm, compacted gravel	18
Figure 18: Collision protection using large boulders	18
Figure 19: Bonding line and proper grounding of fuel tank supports	19
Figure 20: ULC approved pump and meter	19
Figure 21: Example of an inadequate fuel storage system	21
Figure 22: Example of a farmstead map as part of an emergency plan	27
Figure 23: Emergency spill kit	28
Figure 24: Example fuel inventory control sheet	29

DVITTINIUM STREWNDIG TTO I LIVIYI



1. Why is farm fuel storage and handling such an important issue?

The capacity of diesel and gasoline storage on Alberta farms is at least 250 million litres (55 million gallons). This large volume of stored fuel poses great financial, environmental and public liability risks to farmers. This publication provides information to help farmers store and use gasoline and diesel fuel.




Figure 1: Fuel storage as a possible source of contamination

Traditionally, fuel storage on farms in Alberta consisted of overhead, gravity fed tanks (as shown above in Figure 1). Although these types of systems are still very common on today's farms, there are now other options available to producers in Alberta. The traditional gravity type systems are being replaced with systems that reduce the risk of fire, spills and leaks, and help to avoid contamination, evaporation, deterioration and theft.

Environmental implications

It is the responsibility of all Albertans to ensure the protection, enhancement and wise use of the environment. No person is allowed or permitted to release a substance in an amount, concentration level or at a rate that causes or may cause a significant adverse effect. Poor management of fuel storage tanks can lead to environmental impacts on soil and groundwater and health and safety issues. It only takes a few litres of gasoline to severely pollute a farmstead's drinking water supply. A small leak of one drop per second can release about 900 litres (200 gallons) of gasoline into the groundwater in one year.

Financial implications

Practicing "due diligence" is also a major part of protecting the ability to borrow money or obtain insurance. Banks, lending agencies and insurance companies recognize the risks of farm fuel storage and handling. Potential risks of environmental damage may be enough to prevent loan approval or insurance coverage.