

Species	Cultivar	Origin	Hard- ness (rating)	Herbage Yield	Seed Ripe da.,mo.	Data Years	Seed Yields				Ht. cm	Comments
							lb/acre avg	high	kg/ha avg	high		
	Tammisto	Finland	9	5	30/7	3	505	666	566	747	78	
	Trader	Canada	9	6	28/7	9	322	1065	361	1194	75	
	Trifolium	Denmark	9	4	30/7	3	508	574	569	643	72	
	Wehrdaer	Germany	9	5	28/7	9	355	585	398	655	70	
	Wendelmoed	Netherlands	9	5	28/7	9	236	491	264	550	70	
	Winge	Germany	9	4	30/7	3	177	293	198	328	70	
Fescue, Hard (<i>F. ovina</i> var. <i>duriuscula</i>)												
	Biljart	Netherlands	9	3	23/7	9	180	421	202	472	45	
	Carot	"	9	4	23/7	6	297	690	333	773	47	
	Durar	U.S.A.	9	8	24/7	12	286	1003	320	1124	61	
Fescue - Hair (<i>F. capillata</i>)												
	Sima	Poland	9	1	26/7	3	79	153	88	171	25	
Fescue - Sheep (<i>F. ovina</i>)												
	Barok	Netherlands	9	1	22/7	7	65	190	73	213	30	
	Chambord	France	6	1	28/7	1	2	2	2	2	40	
	Felia	Belgium	8	2	22/7	4	44	104	49	116	31	
	Novina	Netherlands	9	1	28/7	3	19	50	21	56	22	
	Ovina	"	8	1	22/7	3	26	34	29	38	30	
	Sevo	Belgium	9	1	20/7	1	36	36	40	40	40	
	Vendome	France	9	1	19/7	1	73	73	82	82	34	
Fescue - Tall (<i>F. arundinaceae</i>)												
	Alta	U.S.A.	6	4	31/7	17	233	419	261	470	73	
	Backafall	Sweden	7	3	31/7	9	172	400	193	448	77	
	Demeter	Australia	8	2	31/7	3	241	426	270	478	75	
	Early	Gt. Britain	8	2	31/7	3	215	334	241	374	70	
	Fawn	U.S.A.	6	4	31/7	8	331	1110	371	1244	66	
	Festal	Netherlands	7	3	31/7	3	287	394	321	442	75	
	Kenmont	U.S.A.	8	3	31/7	3	243	297	272	333	79	
	Kenwell	"	7	2	31/7	3	215	411	241	461	75	
	Ky.31	"	8	3	31/7	3	353	418	395	468	79	

Species	Cultivar	Origin	Hardi- ness (rating)	Herbage Yield	Seed Ripe da.,mo.	Data Years	Seed Yields		Ht. cm	Comments
							lb/acre avg	kg/ha high		
	Ludion	France	7	2	4/8	3	157	251	176	281 75
	Manade	"	6	5	31/7	6	255	530	286	594 48
	Motail	Netherlands	9	2	2/8	1	213	213	239	239 80
	S.170	Gt. Britain	7	2	31/7	6	176	446	197	500 77
Foxtail,- Creeping (<i>A. arundinaceus</i>)										
	Garrison	Canada	9	3	7/7	9	115	235	129	263 79
Foxtail - Meadow (<i>Alopecurus pratensis</i>)										
	Brudzynski-dan	Poland	9	3	7/7	6	207	347	232	389 65
	Common	-	9	4	7/7	8	267	552	299	618 73
	Oregon	U.S.A.	9	3	7/7	6	184	296	206	332 71
	Polano	Poland	9	3	7/7	6	84	142	94	159 70
	Rhona	Germany	9	3	7/7	6	147	259	165	290 68
Oatgrass - Tall (<i>Arrhenatherum elatius</i>)										
	Armo	Netherlands	6	2	28/7	3	40	66	45	74 90
	Barricade	"	6	1	28/7	3	66	126	74	141 80
	Odenwalder	Germany	9	1	27/7	1	15	15	17	17 75
	Remus	Poland	6	4	25/7	8	83	208	93	233 90
	SK-5	"	7	3	20/7	9	93	200	104	224 90
	Tualatin	-	9	1	27/7	1	52	52	58	58 80
	Wena	Poland	7	3	20/7	8	99	158	111	177 86
Oatgrass - Yellow (<i>Trisetum flavescens</i>)										
	Spath's Hohenh.	Germany	5	1	15/7	3	80	230	90	258 70
	Steinacher	"	5	1	15/7	3	85	254	95	285 70
	Trisetum	"	4	1	15/7	2	70	141	78	158 70
Orchardgrass (<i>Dactylis glomerata</i>)										
	Aries	France	6	3	1/8	5	127	368	142	413 68
	Chinook	Canada	8	4	29/7	11	96	190	108	213 65
	Fala	Poland	9	4	29/7	9	161	354	180	397 70
	Hercules	Canada	6	2	6/8	3	83	148	93	166 -
	Holstenkamp	Germany	8	4	29/7	3	101	150	113	168 85

Species	Cultivar	Origin	Hard- ness (rating)	Herbage Yield	Seed Ripe da.,mo.	Data Years	Seed Yields				Ht. cm	Comments
							lb/acre avg	high	kg/ha avg	high		
	Marton vassaria	Czech.	8	4	29/7	6	93	213	104	239	70	
	Roznovska	"	9	5	29/7	9	101	229	113	256	70	
	T. No. 15	Denmark	7	4	29/7	6	74	133	83	149	68	
	T. No. 16	"	7	3	29/7	6	124	276	139	309	73	
	T. No. 17	"	6	3	29/7	5	102	213	114	239	73	
	Tardus II	Sweden	7	5	29/7	12	132	334	148	374	73	
	Taurus	France	6	3	29/7	8	24	93	27	104	65	
Redtop (<i>Agrostis alba</i> L.)												
	Reton	Canada	7	3	12/8	5	111	203	124	227	60	
	V. Kamekes	Germany	7	2	12/8	5	102	210	114	235	52	
	Smaragd	Sweden	7	1	10/8	7	32	77	36	86	20	
Reed Canarygrass (<i>Phalaris arundinacea</i>)												
	Frontier	Canada	9	7	26/7	16	28	114	31	128	89	
	Luba	Poland	9	7	26/7	9	20	85	22	95	89	
Russian wildrye (<i>Elymus junceus</i>)												
	Sawki	Canada	9	5	1/8	17	287	985	321	1104	86	
	Vinall	U.S.A.	9	1	1/8	3	66	199	74	223	90	
Altai wild ryegrass (<i>Elymus angustus</i>) U.S.S.R.												
			9	3	17/8	6	32	61	36	68	100	
Ryegrass (<i>Lolium multiflorum</i>)												
	Barenza	Netherlands	-	7	15/9	3	510	579	571	648	-	
	Barwoltra	Germany	-	7	15/9	3	628	864	703	768	-	
	Billion	"	-	8	15/9	3	664	915	744	1025	-	
	Eclata	Netherlands	-	7	5/9	2	703	1027	787	1150	75	
	Gulf	U.S.A.	-	6	7/9	2	700	1024	784	1147	70	
	Hesa	Germany	-	7	7/9	2	235	275	263	308	85	
	Lental	Belgium	-	6	7/9	2	174	197	195	221	70	
	Magnolia	U.S.A.	-	5	28/8	1	1432	1432	1604	1604	63	
	Million	Netherlands	-	6	25/8	2	815	1531	913	1715	70	
	Mowester	Poland	-	4	29/8	3	801	1200	897	1344	-	
	Ostsaat-volkenrode	Germany	-	7	5/9	2	1176	1902	1317	2130	75	
	Rina	France	-	6	5/9	1	300	300	336	336	60	

(12

Species	Cultivar	Origin	Hard- ness (rating)	Herbage Yield da.,mo.	Seed Ripe Years	Data lb/acre avg	Seed Yields kg/ha high	Ht. cm	Comments		
	Rita	France	-	7	5/9	1	350	350	392	60	
	Roznovsky(a)	Czech.	-	8	29/8	3	732	878	820	983	70
	Roznovsky(I)	"	-	7	8/9	1	80	100	90	112	70
	Tama	New Zealand	-	6	29/8	2	612	824	685	923	65
	Tewera	Netherlands	-	8	15/9	4	578	899	647	1007	-
	Vertas	"	-	8	15/9	3	670	885	750	991	-
	Weldra	"	-	7	25/8	2	985	1523	1103	1706	75
	Westerwolds(raaigras)	"	-	5	29/8	2	862	1275	965	1428	69
	Wewo	"	-	6	25/8	2	1061	1672	1188	1873	78
	Witala	Germany	-	5	5/9	1	300	300	336	336	50
	Woldi	Netherlands	-	8	29/8	2	1041	1632	1165	1828	70
	Tetrone	Germany	5	1	14/8	1	708	708	794	794	- (biennial)
Ryegrass (L. perenne)											
	Argo	Poland	5	4	29/8	4	531	980	595	1099	51
	Barenza	Netherlands	4	2	3/9	2	315	352	353	395	51
	Barlenna	"	4	2	14/8	1	211	211	237	237	36
	Glasnevin	Ireland	1	-	-	1	-	-	-	-	-
	Linn.	U.S.A.	1	1	25/8	1	160	160	179	179	45
	Mommersteeg's Pasture	Netherlands	3	3	24/8	3	389	741	436	831	41
	NK-100	U.S.A.	2	4	19/8	2	431	457	483	512	-
	Norlea	Canada	7	4	25/8	11	355	1245	398	1396	45
	Pelo	Netherlands	3	3	21/8	3	276	427	309	479	43
	Perma	"	3	-	-	1	-	-	-	-	-
	Roznovsky	Czech.	5	3	26/8	5	332	775	372	869	51
	R.v.P. Pasture	Belgium	4	1	29/8	3	227	272	254	305	51
	Sceempter	Netherlands	3	2	3/9	2	245	290	275	325	53
	Stadion	"	1	-	-	1	-	-	-	-	-
	T.No.10	Denmark	3	7	25/8	1	1099	1099	1232	1232	-
	T.No.11	"	3	9	8/8	1	1158	1158	1298	1298	-
	T.No.12	"	3	9	23/8	1	1209	1209	1355	1355	-
	T.No.13	"	3	6	23/8	1	1179	1179	1322	1322	-
	T.No.14	"	1	-	-	1	-	-	-	-	-
	Viris	Sweden	4	4	30/8	3	491	907	550	1017	53

Species	Cultivar	Origin	Hardi- ness Herbage Yield (rating)	Seed Ripe da.,mo.	Data Years	Seed Yields lb/acre avg	kg/ha high	Ht. cm	Comments
Timothy (Phleum bertolonii, P. nodosum)									
	Evergreen (old)	Sweden	7	6	23/8	9	276	459	309 515 61
	S.50	Gt. Britain	8	4	24/8	9	129	321	145 360 41
	Sport	France	9	4	25/8	9	170	494	191 554 43
Timothy (Phleum pratense)									
	Argi	Denmark	9	5	15/8	3	250	397	280 445 77
	Astra	Sweden	9	7	11/8	9	206	414	231 464 71
	B-10	Yugoslavia	9	6	13/8	3	327	458	366 524 78
	Bariton	Netherlands	9	8	26/8	3	185	240	207 269 68
	Barmere	Gt. Britain	9	5	12/8	3	288	395	323 442 78
	Barmoti	Netherlands	9	7	12/8	14	350	752	392 842 78
	Bodin	Norway	9	8	12/8	3	551	779	617 872 78
	Bottnia II	Sweden	9	9	14/8	3	473	612	530 685 80
	Bounty	Canada	9	6	14/8	12	203	379	227 425 78
	Champ	"	9	6	12/8	9	195	453	218 508 70
	Clair	U.S.A.	9	6	15/8	2	54	92	61 103 -
	Climax	Canada	9	7	16/8	35	270	820	302 919 80
	Comet	Netherlands	9	8	26/8	3	242	309	271 346 70
	Daeno	Denmark	9	7	11/8	9	247	578	277 648 74
	Drummond	Canada	9	7	17/8	13	262	605	294 678 71
	Engmo	Norway	9	8	17/8	5	405	739	454 828 -
	Erecta	Belgium	9	8	10/8	31	279	642	313 720 71
	Eskimo	Netherlands	9	7	9/8	9	288	621	323 696 72
	Farol	"	9	7	17/8	18	230	507	258 568 74
	Foka	Poland	9	6	9/8	9	283	580	317 650 75
	Forus	Norway	9	7	12/8	3	463	610	519 683 82
	"G"	Hungary	9	3	14/8	1	187	187	209 209 65
	Glasnevin Gem	Gt. Britain	9	5	15/8	10	190	419	213 470 74
	Grassland Kahu	New Zealand	9	4	15/8	9	206	320	231 359 74
	Grindstad	Norway	9	7	12/8	3	402	551	450 617 80
	Heidemij	Netherlands	9	6	20/8	18	217	510	243 572 66
	Heilbink	Germany	9	6	12/8	3	350	491	392 550 75
	Hokuo	Japan	9	6	10/8	3	158	240	177 269 76
	Intenso	Netherlands	9	6	28/8	10	164	357	184 400 61