

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating		Herbage Yield Rating	
Orchardgrass (<u>Dactylis glomerata</u> L.) cont'd					1984	1985	1984	1985
	Szarvasi 51	Hungary	4.5	69	1.0	1.3	4.0	2.3
	Tareda	Switzerland	3.9	71	1.0	1.0	3.0	2.0
	Valido	Netherlands	2.9	62	0.7	0	2.3	1.3
	* Kay (Yield in kg/ha)				175	71		
Timothy (<u>Phleum pratense</u> L.)								
	Barliza	Netherlands	5.0	75	5.0	2.7	5.0	2.7
	Bero Daehnfeldt	Denmark	5.0	78	5.0	2.3	4.7	2.7
	Climax*	Canada	5.0	79	5.0	1.7	5.0	2.7
	Engmo	Norway	5.0	79	5.0	2.7	4.7	3.0
	Liam (1)	United Kingdom	5.0	41	5.0	0.7	1.0	1.0
	Php 9	Netherlands	5.0	74	5.0	2.0	5.0	2.3
	Saga	Sweden	5.0	78	5.0	3.0	5.0	3.0
	SKI 49	West Germany	5.0	68	5.0	1.7	3.7	2.0
	Tiller	Netherlands	5.0	71	5.0	2.7	4.7	2.3
	Tirom	Romania	5.0	80	5.0	3.0	5.0	2.7
	* Climax (Yield in kg/ha)				606	98		
	(1) Turf timothy (<u>Phleum bertolonii</u> DC)							
Wheatgrass, Intermediate (<u>Agropyron intermedium</u> (Host) Beauv. ex Baumg.)								
	Chief*	Canada	5.0	103	5.0	3.0	3.7	3.0
	Clarke	Canada	5.0	94	5.0	2.7	4.0	2.7
	Oake	United States	5.0	106	5.0	3.7	4.7	3.0
	Sisagro	Italy	5.0	99	5.0	2.3	4.3	2.7
	*Chief (Yield in kg/ha)				535	235		

Cultivar Screening Trial
Seeding Year: 1984

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating	Herbage Yield Rating
Alfalfa (<i>Medicago sativa</i> L.)						
	Adriana	Italy	5.0	48	2.3	3.0
	Alize	France	5.0	60	2.7	3.7
	Answer	United States	5.0	58	2.0	3.3
	Apica	Canada	5.0	58	4.0	4.0
	Beaver*	Canada	5.0	45	1.7	2.7
	Buffalo	United States	4.3	48	1.3	2.3
	Cody	United States	5.0	57	2.3	2.0
	Dell'Italia Centrale	Italy	3.0	60	1.3	2.3
	Diablo Verde	United States	2.3	50	0.7	1.7
	Dunavka	Bulgaria	5.0	52	2.0	3.0
	Equipe	Italy	5.0	38	1.0	2.7
	Ezzelina	Italy	4.7	58	2.7	3.0
	Falkiner	Australia	4.3	45	1.0	2.7
	Gladiator	United States	5.0	45	1.7	3.0
	Glory	Canada	5.0	55	2.7	3.7
	Grasslands Oranga	New Zealand	3.3	57	3.7	3.0
	Hunter	Canada	5.0	48	1.7	2.7
	Hunterfield	Australia	1.0	55	0.7	1.0
	Hunter River	Australia	1.7	43	1.0	1.3
	Hyliki	Greece	5.0	47	1.0	3.0
	Hypati	Greece	5.0	55	1.3	3.0
	ICO-2	United States	5.0	50	2.0	3.0
	ICO-3	United States	5.0	48	1.7	3.0
	ICO-16	United States	5.0	45	1.3	3.0
	L-720	United States	5.0	58	2.7	3.3
	LS-C25	United States	5.0	60	2.7	3.0
	LS-1920	United States	4.3	50	2.7	2.3
	L.99/100 Florida	Italy	4.7	57	1.7	3.7
	L.202 Bresola	Italy	4.7	65	2.7	3.0
	La Bella Campagnola	Italy	4.3	48	1.3	3.0
	La Berica	Italy	4.0	60	2.0	2.7

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating	Herbage Yield Rating
Alfalfa (<i>Medicago sativa</i> L.) cont'd						
	Lahontan	United States	4.7	58	2.3	3.0
	Lifeuil	France	4.3	48	1.3	2.0
	Mamuntanas	Italy	3.0	50	2.7	2.0
	Maxidor	United States	2.0	53	1.0	1.3
	Medijana	Yugoslavia	4.7	52	2.0	2.7
	Mesilla	United States	2.0	50	1.3	1.3
	Moapa	United States	1.0	40	0.3	0.3
	Nomad	United States	5.0	47	2.7	2.3
	Nova	Australia	4.7	50	1.3	3.3
	Peak	United States	5.0	55	1.7	3.0
	Phytor	United States	5.0	50	2.0	2.7
	Pleven 1	Bulgaria	4.7	48	1.3	2.7
	Pleven 6	Bulgaria	4.7	63	2.3	3.0
	Primal	United States	5.0	52	1.0	3.7
	Prosementi Bologna	Italy	5.0	67	3.3	3.0
	Rere	New Zealand	4.0	53	1.0	3.0
	Robot	Italy	5.0	53	1.0	3.0
	Sette	Italy	4.7	57	2.7	3.3
	Sheffield	Australia	3.3	48	3.0	2.3
	Siriver	Australia	1.3	55	0.3	0.7
	Springfield	Australia	2.0	42	1.0	1.3
	Szarvasi 2	Hungary	5.0	57	2.3	3.3
	Szarvasi 4	Hungary	5.0	50	1.7	3.0
	Trek	Canada	5.0	58	3.0	3.7
	Turrena	Italy	2.7	48	1.3	2.0
	Vista	United States	5.0	52	2.3	3.3
	Wakefield	Australia	3.0	50	2.0	2.0
	W.H. Nova	West Germany	5.0	48	1.0	3.3
	524	United States	4.7	50	3.0	3.0
	526	United States	5.0	50	1.7	3.3
	532	United States	5.0	50	1.3	2.0

*Beaver (Yield in kg/ha)

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating	Herbage Yield Rating
Birdsfoot Trefoil (<i>Lotus corniculatus</i> L.)						
	Carroll	United States	3.0	35	2.0	2.0
	Cree	Canada	1.7	25	2.0	1.0
	Franco	Italy	0	-	0	0
	Leo*	Canada	2.3	33	2.3	2.3
	Mirabel	Canada	2.0	32	2.0	1.3
	* Leo (Yield in kg/ha)				104	
Fescue, Meadow (<i>Festuca pratensis</i> Huds.; <i>F. elatior</i> auct.)						
	Aberystwyth S.215	United Kingdom	4.0	50	2.3	2.0
	Balder	Denmark	4.0	53	2.7	2.7
	BAR 79-72S	Netherlands	4.7	53	2.3	2.3
	BAR 79-72T	Netherlands	4.7	50	3.7	3.3
	BAR 79-74I	Netherlands	4.3	48	2.7	2.3
	BY 1	Canada	4.7	57	3.3	3.3
	Fesko	West Germany	4.0	53	2.7	2.7
	G	Hungary	2.0	60	1.0	1.0
	Lifelix	West Germany	4.7	50	2.3	2.3
	Listella	West Germany	4.7	48	3.3	3.3
	Mimer*	Sweden	3.0	58	4.0	2.3
	Neuga	East Germany	3.7	48	2.0	1.7
	Ovari	Hungary	5.0	52	3.3	3.3
	Paltar	Romania	4.0	53	2.3	2.3
	Senu	Sweden	5.0	57	3.7	3.3
	Westa 4n	Poland	3.7	55	2.3	2.7
	* Mimer (Yield in kg/ha)				592	
Fescue, Red (<i>Festuca rubra</i> L.)						
	BAR FRR RC1	(3) Netherlands	5.0	40	3.7	3.0
	BAR FRR RC2	(3) Netherlands	5.0	43	3.3	3.3

Species	Cultivar	Origin	Hardiness	Height (cm)	Seed Yield Rating	Herbage Yield Rating
---------	----------	--------	-----------	----------------	----------------------	-------------------------

Fescue, Red (*Festuca rubra* L.) cont'd

BAR FRC 79-LAU	(1)	Netherlands	5.0	28	1.3	1.3
Boreal*	(3)	Canada	5.0	43	3.0	2.7
Borffesta	(2)	East Germany	5.0	37	2.0	2.7
ERG 436	(1)	Netherlands	5.0	28	2.3	1.7
G	(2)	Hungary	5.0	42	2.3	2.7
Magenta	(1)	Netherlands	5.0	32	1.0	1.0
Muse	(1)	France	5.0	30	1.0	1.3
Perelle	(2)	France	5.0	30	1.0	1.7
Premiere	(1)	Netherlands	5.0	28	1.0	1.7
Rabo	(1)	East Germany	5.0	30	1.7	1.7
Soprano	(1)	France	5.0	23	1.7	1.7
Tantop	(1)	West Germany	5.0	32	1.0	1.3
Virtus	(2)	West Germany	5.0	30	1.3	2.3

* Boreal (Yield in kg/ha)

360

- (1) Rhizomes absent or rudimentary
- (2) Slender rhizomes
- (3) Strong rhizomes
- (4) Unclassified

Fescue, Tall (*Festuca arundinacea* Schreb.)

Arola		West Germany	5.0	60	3.0	3.0
BAR 315		Netherlands	5.0	85	4.0	4.0
Brookston		United States	5.0	65	3.0	3.0
Buffalo		France	4.0	65	2.0	3.0
Festorina		Netherlands	5.0	80	3.0	3.0
Houndog		United States	5.0	60	2.0	3.0
Kentucky 31*		United States	5.0	75	5.0	5.0
Lince		Italy	3.0	80	1.0	2.0
Orino		Netherlands	5.0	70	3.0	3.0
Pandur		Romania	4.0	60	1.0	1.0